Special offer

Industrial vacuums

Showroom display & test machines

NA35

NA35-D1 Type III

Article no. 903712 | Showroom display

20% OFF



363,817 THB*

~~454,771 THB~~

Specifications

Motor power	4.0 kW
Air flow rate max	360 m^3/h
Max vacuum	-213 mbar
ATEX zone	Zone 22 II3D

Special equipment (Article no. 71965)

- Potential equalization equipment – 6m wire (1 x $6mm^2$)
- 1 connection to processing machine (with pliers)
- 1 connection for hose

Installed components

- Basket accessories mounted on machine housing (Art. no. 11416)
- Hose rack mounted on left side off push handle (Art. no. 12064)

Control system functions (Article no. 45280)

- Minimum liquid level monitoring
- Manual On/Off control

Add-on options (Article no. 901531)

- Quick connector system:
  Harting plug (male & female provided)

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

RUWAC

ruwac.asia

Special offer

SPS250

SPS250 W36 with pump

Article no. 901676 | Showroom display

80% OFF

37,846 THB*
189,229 THB



Specifications	
Motor power	3.60 kW
Air flow rate max.	410 m³/h
Max. Vacuum	-230 mbar
ATEX Zone	General
Raw Gas Side	Vacuum inlet DN70 45° angle 70 mm inner diameter reduced to 50 mm inner diameter

SPS250, D40 HV, side-mounted drive

Article no. 80419 | Showroom display

80% OFF

83,759 THB*
418,794 THB



Specifications	
Motor power	4.00 kW
Air flow rate max.	360 m³/h
Max. Vacuum	-280 mbar
ATEX Zone	General
Raw Gas Side	Boiler connection DN70 with 45° elbow, DN70 reduced to DN50 aluminum boiler connection

NA250

NA250 Type III – RAL 3000 – swirl filter stainless steel

Article no. 902813 | Showroom display

80% OFF

45,405 THB*
227,023 THB



Specifications	
Motor power	–
Air flow rate max.	–
Max. Vacuum	–
ATEX Zone	–
Raw Gas Side	DN70

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

Special offer

DS3-22 H

DS3-22 H – 12 m² H – Zone 22

Article no. 902931 | Showroom display

60% OFF

217,686 THB*

~~544,214 THB~~



Specifications	
Motor power	2.20 kW
Air flow rate max.	350 m³/h
Max. Vacuum	-220 mbar
ATEX Zone	Zone 22 II3D
Raw Gas Side	Vacuum inlet 70 mm inner-ø aluminium

DS1222 LS

DS1222 LS M – 2.6 m²

Article no. 902740 | Showroom display

50% OFF

134,445 THB*

~~268,889 THB~~



Specifications	
Motor power	2.20 kW
Air flow rate max.	300 m³/h
Max. Vacuum	-206 mbar
ATEX Zone	Zone 22 II3D
Raw Gas Side	Vacuum inlet 50 mm ø plastic

DS2520 H

DS 2520 M – 4.5 m² – Zone 22

Article no. 903462 | Showroom display

50% OFF

271,817 THB*

~~543,635 THB~~



Specifications	
Motor power	6.00 kW
Air flow rate max.	650 m³/h
Max. Vacuum	-230 mbar
ATEX Zone	Zone 22 II3D
Raw Gas Side	Vacuum inlet 70 mm ø

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

Special offer

DS64000 M

DS64000 M – Zone 22 – Cartridge Filter 24 m²

Article no. 902563 | Showroom display

30% OFF

212,763 THB*
~~303,948 THB~~



Specifications	
Motor power	2.20 kW
Air flow rate max.	2.650 m³/h
Max. Vacuum	-27 mbar
ATEX Zone	Zone 22 II3D
Raw Gas Side	200 mm with flanged rim

Longopac® DS1400

Longopac® DS1400 M – 2.6 m²

Article no. 903291 | Test machine

40% OFF

213,859 THB*
~~356,432 THB~~



Specifications	
Motor power	4.00 kW
Air flow rate max.	440 m³/h
Max. Vacuum	-213 mbar
ATEX Zone	Zone 22 II3D
Raw Gas Side	70 mm ø

NA250

NA250 Type III-RF – Cartridge Filter 10 m² – Stainless Steel

Article no. 37852 | Showroom display

70% OFF

206,340 THB*
~~687,801 THB~~



Specifications	
Motor power	–
Air flow rate max.	–
Max. Vacuum	–
ATEX Zone	–
Raw Gas Side	70 mm ø

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

Special offer

DS4150

DS4150 M – red – pocket filter 11 m² with 200L pre-separator

Article no. 903764 | Showroom display

80% OFF

119,300 THB*

~~596,501 THB~~



Specifications	
Motor power	15.00 kW
Air flow rate max.	750 m³/h
Max. Vacuum	-350 mbar
ATEX Zone	General
Raw Gas Side	100 mm ø

AsiaTec

AsiaTec Process VAC DAV 1.5 kW

Article no. 903764 | Showroom display

47,063 THB*



Specifications	
Motor power	1.50 kW
Air flow rate max.	190 m³/h
Max. Vacuum	-190 mbar
ATEX Zone	General
Raw Gas Side	DN 50 mm

AsiaTec

AsiaTec Process VAC DAV 2.2 kW

Article no. 903848 | Showroom display

10% OFF

46,177 THB*

~~51,308 THB~~



Specifications	
Motor power	2.20 kW
Air flow rate max.	220 m³/h
Max. Vacuum	-260 mbar
ATEX Zone	General
Raw Gas Side	DN 50 mm

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

Special offer

Sibilia DK5

Sibilia DK5, S/N: 040115/07/2015 with accessories

Article no. 902563 | Test machine

80% OFF



242,111 THB*

~~1,210,555 THB~~

Specifications	
Motor power	15.00 kW
Air flow rate max.	420 m^3/h
Max. Vacuum	-800 mbar
ATEX Zone	General
Raw Gas Side	70 mm ø

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

Special offer

AsiaTec WS

AsiaTec WS 3.6 kW 2.5 m²s

Article no. 902563 | Test machine

10% OFF



29,413 THB*

~~32,681 THB~~

Specifications	
Housing	Steel
Drive type	Electric, single phase
Voltage	220 V
Motor power	3.60 kW
Frequency	50 Hz
Sound pressure level (LpA)	70 db(A)
Max. vacuum	230
Air flow rate max.	360 m^3/h
Filter surface area	2.5 m^2
Filtration efficiency	99.95 %
Filter type	HEPA
Filter cleaning system	Electronic vibration
Suction connector	DN50
Collection container	Stainless steel dust bin
Container capacity	30 L
Power cable	10 m, 3 x 1.5 mm^2

Application

- Designed for intermittent cleaning in production environments
- Suitable for manufacturing, pharmaceutical, food processing, and automotive industries
- Ideal for use in factories, warehouses, and industrial facilities
- Built for demanding industrial environments

Benefits

- HEPA filter: high-efficiency fine dust filtration
- Electronic filter cleaning system: continuous performance, reduced maintenance effort
- High-efficiency motor: long lifespan and reliable operation
- 99.95% filtratrion efficiency (0.3 µm)

* VAT, shipping, application-specific accessory packages not included. Please contact us for accessory offers. Limited availability – valid while stocks last.

We are there for you.

+66 2 1054081

RUWAC Asia production plant and regional technical support center
700/295 Moo 1 | Amata City Chonburi,
Tambol Bankao | Amphur Panthong
Chonburi 20160 Thailand

info@ruwac-asia.com

Ruwac
ruwac.asia

LinkedIn
th.linkedin.com/company/ruwacasiagroup